



Quantity

5822 Foaming Heavy-Duty Cleaner is shipped from the manufacturing facility and regional distribution centers in plastic 330 or 275 gallon totes, and 55 gallon containers. Bulk quantities are available on request.

Specifications

Form: Liquid
Shelf Life: 1 year
pH Level: 14
Foam: Moderate
VOC: None
Biodegradable: Yes
GRAS Approved: Yes

Storage & Handling

Store in a cool, dry place. In case of accidental exposure on skin or in eyes, flush with water for 15 minutes until slippery feeling is gone. Consult a physician if irritation persists. This product is mildly acidic and contains biodegradable surfactants.

For more information about this product, please contact us at: 480-247-6190

KEEP AWAY FROM CHILDREN. NOT FOR HUMAN CONSUMPTION.

Note: Buyer assumes all risk of use, storage and handling of the material. Neither seller nor its agent make any warranty, expressed or implied, concerning this product, except in conformity with statements on label. *Information regarding the contents and levels of metals in this product is available by calling: 805-895-9985*

Disclaimer

Nothing disclosed above is to be construed as a recommendation to use our products in violation of any patents or regulations. The information presented above is believed to be accurate. However, said information and products are offered without warranty or guarantee including composition and purity stated herein. Since the ultimate conditions of use and variability of the material treated are beyond our control, liability claims may not exceed purchase price of product.

5822 FOAMING HEAVY DUTY CLEANER

5822 is a heavy-duty cleaner recommended for foam cleaning walls, floors, ceilings, equipment. For use in all food processors and equipment to clean metals safely and effectively. This formula contains caustic. Effective in bakeries, snack food plants, oil processors, supermarkets and meat, seafood, vegetable and poultry processors.

Application Rates

Suggested application rate is as follows:

Dilute 1:10 to 1:30 and apply through foam generating equipment. Allow foam solution to dwell 5 to 15 minutes, agitate if needed and follow with a potable water rinse. For manual cleaning dilute with 20-40 parts water and apply solution with a brush, sponge, or mop. A potable water rinse is required for all food contact surfaces.

PRODUCT FEATURES

- HIGHLY CONCENTRATED CAUSTIC FORMULA
- SPECIALLY FORMULATED TO BREAK DOWN COMPLEX SOILS
- FREE RINSING - LEAVES NO RESIDUE
- FOR USE ON STAINLESS STEEL EQUIPMENT